




FIRE BY **escea.**



Before social media, there was just social.

People are naturally drawn to flames and an Escea fireplace quickly becomes a home's social hub, encouraging face-to-face interaction and discussion deep into the night.

With the perfect balance of form and function, Escea gas fireplaces are made for modern homes and busy lives. Using the latest in gas fireplace technology, an Escea delivers heat that's both powerful and efficient.

"We take great pride at being made in New Zealand and tapping into the incredible pool of local technology and design talent. I marvel at what our team of designers and engineers can achieve and love seeing people interact in front of our fireplaces. I guess there are some things you just can't do on Facebook"

ALEX HODGE
Lead Designer

Fireplace, anyplace

Escea's flexible flues run up, down or even sideways, for complete design freedom.

Born in New Zealand

Designed and made in the deep south of New Zealand, the best place to test the limits of heat and efficiency.

Crafted with care

From concept to completion, our people take pride in every fireplace they have a hand in making.

Our Fireplaces

Get to know Escea's wide range of fireplaces.
There's (at least) one for every home and every lifestyle.



Indoor Gas Single or Double Sided

Ultra-wide high heat output gas fireplaces to effortlessly heat one, two or multiple rooms.

DX1000, DX1500
(Multiroom) Pg 4

DS1150, DS1400, DS1650
(High Output) Pg 8



Indoor Gas Single Sided

Efficiently warms your living space while making it feel intimate and cosy.

DL850, DL1100 (High Output) Pg 12
DF700, DF960 (High Output) Pg 16
DFS730 (Freestanding) Pg 22



Outdoor Gas or Wood

Add warmth to any outside gathering with an open front gas or wood fireplace.

EK950, EK1250, EK1550
(Wood) Pg 24
EF5000 (Gas) Pg 28
EW5000 (Wood) Pg 29

DX Series

MULTIROOM | SINGLE OR DOUBLE SIDED

The DX Series combines ultra-wide flame action with Escea's Heat Ducting Technology, which provides heat into several rooms and evenly distributes within the same room. At 1m or 1.5m wide these gas fireplaces make a dramatic statement. Reflective side panels give the appearance of an even wider fireplace and their effect grows exponentially when they're double sided.

Customise the look of your fireplace by choosing between a variety of different fuel beds and frames. With its minimalist aesthetic, the DX Series works with any interior style.



SMART HEAT™

Control the temperature of your home with your smart phone.



MULTIROOM

Duct heat from the fireplace to multiple vents throughout your home.



DX Series Models



DX Series Options

DX1000



Heat output
8.4kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
33MJ/hr

Approx appliance size (mm)
1328w x 744h x 382d

Viewable glass (mm)
1062w x 362h

TV Clearance
230mm above fireplace minimum

- Features
- Single or Double Sided
 - Powered Direct Vent
 - Ducted Heat
 - Double Sided
 - Zero Clearance
 - Smart Heat
 - Reflective Side Panels
 - Detachable Mesh Guard - Optional

DX1500



Heat output
10.4kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
40MJ/hr

Approx appliance size (mm)
1828w x 744h x 382d

Viewable glass (mm)
1560w x 360h

TV Clearance
230mm above fireplace minimum

- Features
- Single or Double Sided
 - Powered Direct Vent
 - Ducted Heat
 - Double Sided
 - Zero Clearance
 - Smart Heat
 - Reflective Side Panels
 - Detachable Mesh Guard - Optional

*May vary depending on flue or gas type.

Fascia Options

All DX Series fascias are available for both single or double sided fireplaces.



Bevelled Lite

A subtle single bevelled edge to frame the fireplace.



Fascia sizes (mm)
DX1000: 1130w x 430h 40d
DX1500: 1630w x 430h 40d



Frameless


Being frameless lets the wall itself be the work of art.

Fascia sizes (mm)
DX1000: 1357w x 410h
DX1500: 1560w x 360h



Linear Trim

An optional plaster board finishing trim, with clean lines keeps this frame minimal.



Fascia sizes (mm)
DX1000: 1085w x 387h
DX1500: 1583w x 387h

Fuel Bed Options



DS Series

SINGLE OR DOUBLE SIDED


The DS Series has a small footprint and a big impact. These fireplaces are truly frameless drawing your eye straight to the flames – where the wall ends the glass begins.

The large window gives a clear view of the generous fuel bed, large flames and when double sided you can also see the room next door. And being able to flue the fireplace through the ceiling, the floor or the wall – the only limitation is your imagination.



SMART HEAT™

Control the temperature of your home with your smart phone.



TRULY FRAMELESS

Where the wall ends, the glass begins.



DS Series Models



DS Series Options

DS1150



Heat output
8.5kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
34MJ/hr

Approx appliance size (mm)
1401w x 788h x 350d

Viewable glass (mm)
1067w x 411h

TV Clearance
200mm above fireplace minimum

Features

- Truly Frameless
- Powered Direct Vent
- Single or Double sided options
- Zero Clearance
- Smart Heat
- Reflective Side Panels
- Detachable Mesh Guard - Optional

DS1400



Heat output
9.5kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
40MJ/hr

Approx appliance size (mm)
1693w x 788h x 350d

Viewable glass (mm)
1359w x 411h

TV Clearance
200mm above fireplace minimum

Features

- Truly Frameless
- Powered Direct Vent
- Single or Double sided options
- Zero Clearance
- Smart Heat
- Reflective Side Panels
- Detachable Mesh Guard - Optional

DS1650



Heat output
10.5kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
44MJ/hr

Approx appliance size (mm)
1987w x 788h x 350d

Viewable glass (mm)
1653w x 411h

TV Clearance
200mm above fireplace minimum

Features

- Truly Frameless
- Powered Direct Vent
- Single or Double sided options
- Zero Clearance
- Smart Heat
- Reflective Side Panels
- Detachable Mesh Guard - Optional

*May vary depending on flue or gas type.

Fascia Options



Bevelled Lite

A subtle single bevelled edge to frame the fireplace.



Fascia sizes (mm)
DS1150: 1144w x 485h x 35d
DS1400: 1435w x 485h x 35d
DS1650: 1730w x 485h x 35d



Frameless

Being frameless lets the wall itself be the work of art.

Fascia sizes (mm)
DS1150: 1067w x 411h
DS1400: 1361w x 411h
DS1650: 1653w x 411h



Linear Trim

An optional plaster board finishing trim, with clean lines keeps this frame minimal.

Fascia sizes (mm)
DS1150: 1112w x 456h
DS1400: 1404w x 456h
DS1650: 1698w x 456h

Fuel Bed Options



DL Series

HIGH HEAT OUTPUT

High heat output combined with high efficiency is what distinguishes the DL Series from the rest.

These fireplaces work with both modern and traditional decor - the frame within a frame providing a statement detail. Both the DL850 and the DL1100 feature the latest smartphone control and the Direct Vent Power Flue system gives you the flexibility to install the fireplace wherever you want.



SMART HEAT™

Control the temperature of your home with your smart phone.



HIGH HEAT OUTPUT

Powerful heat output for large open-plan living spaces.




DL Series Models



DL Series Options

DL850



Heat output
9.2kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
38MJ/hr


Approx appliance size (mm)
959w x 560h x 517d

Viewable glass (mm)
730w x 300h

TV Clearance
550mm above fireplace minimum

Features
Powered Direct Vent
Zero Clearance
Smart Heat - Optional
Reflective Side Panel - Optional
Wire Mesh Screen - (Optional in NZ)

DL1100



Heat output
10.4kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
43MJ/hr

Approx appliance size (mm)
1259w x 560h x 517d

Viewable glass (mm)
1030w x 300h

TV Clearance
550mm above fireplace minimum

Features
Powered Direct Vent
Zero Clearance
Smart Heat - Optional
Reflective Side Panel - Optional
Wire Mesh Screen - (Optional in NZ)

*May vary depending on flue or gas type.

Fascia Options



A bevelled frame set.



Fascia sizes (mm)
DL850: 1060w x 635h x 40d
DL1100: 1360w x 635h x 40d



A square edged frame.



Fascia sizes (mm)
DL850: 995w x 585h x 40d
DL1100: 1290w x 585h x 40d



A wall recessed frame.



Fascia sizes (mm)
DL850: 995w x 580h x 50d
DL1100: 1285w x 580h x 50d

NOTE: Inset fascias require a different cavity/wall construction. See installation manual for further information.

Fuel Bed Options



DF Series

Escea had renovators in mind when they designed the DF Series. Smaller dimensions and flexible installation make the DF Series ideal for retrofitting into existing cavities.

There is one major difference with this retrofit fireplace – Powered Direct Vent Flue technology. This innovation gives you the flexibility to put the fireplace wherever you like; without the need for cavities or even walls to install. This feature makes the DF Series just as suitable for modern new-builds as retrofits.



SMART HEAT™

Control the temperature of your home with your smart phone.



POWERED DIRECT VENT

Fan-forced airflow for ease of install and design freedom.




DF Series Models



DF Series Options

DF700



Heat output
5.9kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
25MJ/hr

Approx appliance size (mm)
711w x 593h x 387d


Viewable glass (mm)
620w x 470h

TV Clearance
200mm above fireplace minimum

Features

- Powered Direct Vent
- Zero Clearance
- Smart Heat - Optional
- Suitable for Retrofit

DF960



Heat output
7.7kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
31MJ/hr

Approx appliance size (mm)
943w x 593h x 402d

Viewable glass (mm)
870w x 470h

TV Clearance
200mm above fireplace minimum

Features


- Powered Direct Vent
- Zero Clearance
- Smart Heat - Optional

*May vary depending on flue or gas type.

Fascia Options




A flat frame that sits flush with your wall.



Fascia sizes (mm)
DF700: 711w x 593h x 2d
DF960: 961w x 593h x 2d



A wider flat frame that sits flush with your wall.



Fascia sizes (mm)
DF700: 761w x 632h x 2d
DF960: 1011w x 632h x 2d

Fuel Bed Options



Black Coals (Small)

Logs

NZ River Rock (Small)

DFS730

FREESTANDING

The freestanding DFS730 is designed as a modern gas fireplace replacement for an existing freestanding woodburner, or for installing into a room where you do not have enough wall space for an inbuilt fireplace.

This sleek and black fireplace fits into tight spaces, and it has a large glass window for maximum flame viewing. The beauty of gas is that you get the same flame and same heat as your old woodburner, without the mess or fuss. The Direct Vent Power Flue system draws air from outside the home into a sealed unit, keeping your home free of moisture and fumes.



SMART HEAT™

Control the temperature of your home with your smart phone.



POWERED DIRECT VENT

Fan-forced airflow for ease of install and design freedom.




DFS730



DFS730 Options

DFS730



Heat output
5.9kW

Energy Efficiency*
5 Star ★★★★★

Max Energy Input
25MJ/hr

Approx appliance size (mm)
735w x 753h x 505d

Viewable glass (mm)
620w x 470h

Features

- Powered Direct Vent
- Cool Touch Body
- Smart Heat - Optional

*May vary depending on flue or gas type.

Side Panel Options



Volcanic Black



Stainless Steel

Fuel Bed Options



Black Coals
(Small)



Logs



NZ River Rock
(Small)

E Series

OUTDOOR GAS OR WOOD

Fireplaces have a mesmerising quality – people love sitting around them and watching the flames flicker. An outdoor fireplace means you can entertain late into the night, creating a dramatic focal point, that’s warm and inviting for all.

Whether it’s outdoor cooking on a wood fuelled fireplace, or the instant convenience of a gas fireplace – Escea’s outdoor range brings the comfort of indoors, out.

Note: While made from the highest grade materials some rusting may occur with high levels of salt laden sea air.




EK Series Models



EK Series Features

EK950




Approx appliance size (mm)
997w x 1543h x 655d

Viewable Fire Area (mm)
948w x 666h

Features

- Cooking Grills
- Ember Generator
- Grill Plate
- 3 Adjustable-Height Cooking Bays
- 4 Hanging Hooks
- Fire Spear

EK1250




Approx appliance size (mm)
1296w x 1543h x 655d

Viewable Fire Area (mm)
1247w x 666h

Features

- Cooking Grills
- Ember Generator
- Grill Plate
- 4 Adjustable-Height Cooking Bays
- 4 Hanging Hooks
- Fire Spear

EK1550



Approx appliance size (mm)
1596w x 1543h x 655d

Viewable Fire Area (mm)
1546w x 666h

Features

- Cooking Grills
- Ember Generator
- Grill Plate
- 5 Adjustable-Height Cooking Bays
- 4 Hanging Hooks
- Fire Spear

The Outdoor Fireplace Kitchen

The EK Series wood fireplace comes equipped with everything you need to achieve a smoky meat lover's feast - an Ember Generator, 13-point adjustable cooking plates, grills and meat hooks. Best of all, once the flame cooking is done, it all hides underneath a stainless steel draw. Leaving you with a roaring outdoor fireplace to relax in front of into the small hours.



Grill, then Chill

When not being used, the cooking grills hide underneath the stainless steel lid, giving you a roaring fire sure to get the party started.



Inside, Out

The EK Series features new technology that allows the fireplace to be attached to the home, for greater indoor-outdoor flow.



Professional Grilling

13-point adjustable height grills and an Ember Generator let you cook your food at the perfect temperature, for that delicious flame grilled smoky flavour.




EF5000 Gas



EW5000 Wood

EF5000 Gas



Heat output
16.5kW

Max Energy Input
49MJ/hr

Approx appliance size (mm)
Not a cavity size
1000w x 579h x 320d

Viewable flame area (mm)
900w x 400h

Features
Ventless
Electronic Ignition
Zero Clearance
Kitset Enclosure - Optional

Fascia Options



A square edged thick frame.



Fascia size (mm)
EF5000: 1295w x 645h x 60d

EF5000 Fuel Bed Options*




NZ River Rock (Large)

Black Coals (Large)

White Coals (Large)

EW5000 Wood



Heat output
Fuel Dependant

Approx appliance size (mm)
Not a cavity size
996w x 758h x 489d

Viewable flame area (mm)
900w x 400h

Features
Adjustable Cooking Plate
Ash Tray
Kitset Enclosure
Frameless Option

Fascia Options



A square edged thick frame.



Fascia size (mm)
EW5000: 1290w x 645h x 60d



Being frameless lets the wall itself be the work of art. (EW5000 only)

Fascia size (mm)
EW5000: 996w x 645h



Kitset Enclosure

The Kitset Enclosure (KSE) is available for EF5000 and EW5000, and is perfect if your outdoor area doesn't have an existing structure. Simply assemble and then cover the KSE with a waterproof backing board and cladding of your choice. The cladding material for the EW5000 must be fire rated.

The assembled structure has the following dimensions: 1800w x 1200h x 600d (mm). w x 1200h x 600d (mm).



Cooking Plate

The EW5000 wood fireplace comes with an adjustable cooking plate which can be stored under the ash pan when not needed. Escea's Head BBQist says "Remember to let the fire burn down to an ash bed before cooking."

Features



Powered Direct Vent

Our Powered Direct Vent flue achieves greater efficiencies and allows flues up to 12m in length which can be run horizontally or vertically. Flues can finish either on a roof or outside wall and can even be run under a floor. It uses outside air for combustion rather than room air and is a completely sealed system unaffected by other appliances such as extractor fans. With no fumes coming in and no hot room air going out, you can keep warmer and healthier.

A unique feature of Escea fireplaces is Powered Flue technology. This innovation gives you the flexibility to put the fireplaces wherever you like, without the need for cavities or even walls to install. Another benefit of Power Flue is joinery-friendly Zero Clearance installation. The key is the fan-forced airflow, which allows you to install the flues in any direction, making even the most complex flue run possible.

Available on all indoor fireplaces.



Through-roof


Through-wall

Through-floor

Between-floors

Features

Continued ...



Multiroom Heat Ducting

Multiroom, Escea's Heat Ducting Technology, captures up to 90% of the available heat and carries it throughout the house via ceiling and floor vents. The ducting technology allows you to provide heat to more than one room in your home.

Available on:
DX1500, DX1000



Smart Heat


When connected to your home network our Smart Heat system lets you turn on your fire through your Smart Phone or any secure internet connection and integrates with most Home Automation systems. It keeps the room at the temperature you select and continuously adjusts to ensure the most efficient burn – which is what we mean by Smart Heat.

Available on all indoor fireplaces.

Design your fireplace

Undecided on which fascia or fuel bed suits your home?
Escea's Design Your Fire lets you try on and compare the different fireplace, fascia, fuel bed and wall combinations.

escea.com/designyourfire



Fuel Beds

Woodland Selection



New Zealand River Rock Coals - Large
The flecked, earth tones give a modern appearance.
DL Series, DS Series, EF5000



New Zealand River Rock Coals - Small
The flecked, earth tones give a modern appearance.
DX Series, DF Series, DFS730



Black Coals - Large
A traditional coal effect to contrast the flames.
DL Series, DS Series, EF5000



Black Coals - Small
A traditional coal effect to contrast the flames.
DX Series, DF Series, DFS730



White Coals - Large
The elemental-inspired coals in a white colour.
DL Series, DS Series, EF5000



White Coals - Small
The elemental-inspired coals in a white colour.
DX Series



Logs
Traditional log set.
DS Series, DF Series, DFS730



Woodland Selection
Composed of branches, pine cones, and shale.
DX Series, DS Series



Black Crystalight
Black glass which contrasts against the golden flames.
DX Series, DS Series, DL Series



White Crystalight
White tempered glass for enhancing the flame.
DX Series, DS Series, DL Series



Driftwood
A combination of light wood and black or white crystalight.
DX Series, DS Series, DL Series



DL Series Logs
Traditional log set for the DL Series only.
DL Series

Fireplace specs

FIREPLACE	SIZE			ENERGY & EFFICIENCY			AESTHETIC OPTIONS		FEATURES			
	Approximate Appliance Size	Viewable Glass / Flame Area (mm)	Cavity size*	Energy Input	Heat Output	Star Rating**	Fuel beds	Fascia Options	Heat Ducting	Reflective Panels	Wire Mesh Front	Zero Clearance
DX1000	1328w x 744h x 382d	1328w x 744h	1328w x 744h x 382d	33MJ/hr	8.4 kW	5	Crystalight, Woodland, Coals, Driftwood	Frameless, Bevelled Lite, Linear Trim	Yes	Yes	Optional	Yes
DX1500	1828w x 744h x 382d	1560w x 360h	1900w x 800h x 450d	40MJ/hr	10.4 kW	5	Crystalight, Woodland, Coals, Driftwood	Frameless, Bevelled Lite, Linear Trim	Yes	Yes	Optional	Yes
DS1150	1401w x 788h x 350d	1067w x 411h	1408w x 850h x 364d	34MJ/hr	8.5kW	5	Crystalight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1400	1693w x 788h x 350d	1359w x 411h	1700w x 850h x 364d	40MJ/hr	9.5kW	5	Crystalight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1650	1987w x 788h x 350d	1653w x 411h	1994w x 850h x 364d	44MJ/hr	10.5kW	5	Crystalight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DL850	959w x 560h x 517d	730w x 300h	950w x 583h x 565d	38MJ/hr	9.2kW	5	Crystalight, Coals, Logs, Driftwood	Bevelled, Inset, Squared Lite		Optional	Optional	Yes
DL1100	1259w x 560h x 517d	1030w x 300h	1265w x 585h x 560d	43MJ/hr	10.4kW	5	Crystalight, Coals, Logs, Driftwood	Bevelled, Inset, Squared Lite		Optional	Optional	Yes
DF700	711w x 593h x 387d	620w x 470h	695w x 600h x 390d	25MJ/hr	5.9kW	5	Logs, Coals	Slim, Stretch				Yes
DF960	943w x 593h x 402d	870w x 470h	945w x 600h x 405d	31MJ/hr	7.7kW	5	Logs, Coals	Slim, Stretch				Yes
DFS730	735w x 753h x 505d	620w x 470h	N/A	25MJ/hr	5.9kW	5	Logs, Coals					Yes
EF5000	1000w x 579h x 320d	900w x 400h	1010w x 585h x 330d	49MJ/hr	16.5kW		Coals	Slab				Yes
EW5000	996w x 758h x 489d	900w x 400h	1000w x 760h x 490d				Wood or Charcoal	Slab, Frameless				
EK950	997w x 1543h x 655d	948w x 666h	*				Wood					
EK1250	1296w x 1543h x 655d	1247w x 666h	*				Wood					
EK1550	1596w x 1543h x 655d	1547w x 666h	*				Wood					

All Escea indoor gas fireplaces come with a wireless remote (thermostat and timer integrated), and are equipped with Escea's mobile Smart Heat capability. Note, indoor fireplaces require a wired connection to your internet router for Smart Heat to function. This cable is included only on DX and DS Series fireplaces, but is an optional extra across the full indoor range.

*Cavity size may vary depending on installation requirements or fascia type. See installation manual for more information.

**May vary depending on flue or gas type.

AUTHORISED DEALER



For warranty conditions visit www.escea.com/warranty

Design Escea ©2018

• • • •	Number: NZ RV10.0
---------	-------------------

www.escea.com

MANUFACTURER
& NEW ZEALAND DISTRIBUTOR

Escea Ltd
17 Carnforth Street,
Green Island, Dunedin 9018,
New Zealand.
Ph +64 3 478 8220
Email: info@escea.com

AUSTRALIAN DISTRIBUTOR

Escea Ltd
PO Box 176
Pennant Hills, Sydney
NSW 1715
Email: Australia@escea.com
Western Australia phone: 1800 730 140
Rest of Australia phone: 1800 460 832

DISCLAIMER

Due to ongoing product development, Escea reserves the right to change any specifications listed in this brochure without notice. Escea promotional images are of real products, but fireplace appearance may vary due to printing limitations and environmental factors, and flame pattern may vary depending on gas type.



FIRE BY **escea.**