

Rinnai



Energysaver Space Heaters

Gas Flued Heating



Comfortable, warm and efficient

Economy Mode Function

Economy Mode allows the heater to modulate down after 1 hour when set temperature is reached. Reduces running costs with no noticeable change in temperature

Auto Off Function

Auto off function operates when the minimum heat setting of the heater still has too much heat output to maintain the set temperature. If the auto-off feature is activated, the heater would turn off rather than heat the room above the set temperature.

A real breath of fresh air

With a minimum energy efficiency rating of 4.8 Stars, our range of Energysaver® heaters outperform almost all other forms of heating.

Ideal for those susceptible to allergies or respiratory problems, these heaters send out warm, clean air and create zero emissions into the room,

Packed with features including electric thermostat, inbuilt humidifier tray and child lock - the Energysavers are a practical heating solution.

Available in a range of sizes and encased in a sleek design, there's a Rinnai Energysaver for every home.



309FT3



559FT3



561FT3



1005FT

Features and Benefits



Superior Indoor Air Quality

Zero room emissions. The heater's power flue system leaves the air inside fresh and healthy by expelling combustion products outside.



Electric Thermostat

Have full control by selecting a desired temperature which is then maintain by the heater.



Pre-heat Mode

Ensures your room reaches a comfortable temperature by the programmed time.



Energy Efficient

4.8 star energy rating, reducing your running costs.



Flexible Installation

Power flue design allows for multiple installation options to suit your home. Available in Natural Gas & LPG.



Inbuilt Humidifier Tray

Efficiently managers room humidity levels to ensure optimum comfort levels.



Dual Digital Timers


Allow for on and off programming for both mornings and evenings.




Child Lock

Prevents inquisitive fingers from unwanted access.


Flueing Options




1. Rear External Wall




2. Sideways External Wall*



3. Through Wall and up



4. Down and Out*
Min. 300mm vertical clearance from base of flue terminal.



5. In wall Vertical

Order Components

	Order Components	Order Code
1	Direct Flue Kit	ESDFK
2	Direct Flue Kit: Co-Ax Pipe 900mm ^φ , Wall Plate, Back Spacer Kit	ESDFK, ESPIPE900, ESPLATE See below
3A	Direct Flue Kit: Co-Ax Pipe 900mm ^φ , 90° Bend (2 x 45°), Condensate Trap, Roof Cowl	ESDFK, ESPIPE900, ESBEND, ESCONDK, ESROOFCOWL
3B	Direct Flue Kit: Co-Ax Pipe 900mm ^φ , 2 x 90° Bends (4 x 45°), Condensate Trap Wall, Terminal Kit	ESDFK, ESPIPE900, 2 X ESBEND, ESCONDK, ESWTKIT
4	Direct Flue Kit / Wall Terminal Kit: Co-Ax Pipe 900mm ^φ , 90° Bend (2 x 45°), Back Spacer Kit	ESDFK, ESWTKIT, ESPIPE900, ESBEND - See below
5A	In Wall Flue Kit Includes: Condensate Trap, Roof Cowl, 4 x Co-Ax Pipe 900mm	ESFKITIW
5B	Bends (2 x 45°), In Wall Flue Kit Includes: Condensate Trap, Roof Cowl, 4 x Co-Ax Pipe 900mm	ESBEND, ESFKITIW

Backspacer Kit

Model	Order Code
Energysaver 309	ESBSKE
Energysaver 559	ESBSKF
Energysaver 561	ESBSKG
Energysaver 1005	ESBSKH

*Backspacer kit is required.

Technical Information

Specifications

Model - Inbuilt	Visual Dimensions (mm)			Efficiency Star Rating AS4553	Colour	Gas Input MJ/h		Output kW	'Heats up to' Capacity (m ²)*		
	H	W	D			Low	High		Cold	Cool	Mild
309FT3	695	465	257	4.8	White	6	13	2.9	32	42	49
559FDT3	582	760	257	4.8		9	23	5.4	56	74	85
559FT3	582	760	257	4.8		9	23	5.2	56	74	85
561FT3	750	545	262	4.8		9	23	5.0	56	74	85
1005FT	670	930	330	4.8		15.5	37	8.6	89	119	138
1005FDT	670	930	330	4.8		15.5	37	8.6	89	119	138

*Ask in-store or see online for your heating zone

Features

Model	Dual Timers	Delay Timer (FDT)	Pre-heat Feature	Economy Mode	Auto Off Mode	Override Button	Child Lock or Lock Button
309FT3	•		•	•	•	•	•
559FDT3		•			•		•
559FT3	•		•	•	•	•	•
561FT3	•		•	•	•	•	•
1005FT	•		•	•	•	•	•
1005FDT		•			•		•

Warranty

Model	Heat Exchanger	Fan	All Other Parts	Labour
Domestic Use	10 years	2 years	1 year	1 year
Commercial Use	1 year on all parts and labour			

With our policy of continuous improvement, we reserve the right to change, or discontinue at any time, specifications or designs without notice. Note: All images contained within this brochure are for illustrative purposes only, the colours and finishes of the products featured are as close to the respective product range as photographic lighting and printing processes allow.

Rinnai Australia Pty Ltd

ABN 74 005 138 769

100 Atlantic Drive,
Keysborough, Victoria 3173

For further information
call 1300 555 545 or visit
rinnai.com.au

TOTAL HOME COMFORT



Rinnai